## Subtract two 4-digit numbers – one exchange





Th	Н	Т	0	
1,000 1,000	100 100	10 10	1 1	



b) Use the place value chart to complete the calculation.

- c) Which calculation was easier? Talk about it with a partner.
- d) What happens when you don't have enough counters in a column to take away?


1 ten can be exchanged for ones.

1 hundred can be exchanged for 10 \_\_\_\_\_\_.

1 thousand can be exchanged for



Complete the calculations.



c)


	Th	Н	T	0	
	9	8	4	5	
_	6	2	1	6	

b)		Th	Н	Т	0	
		7	6	7	3	
	_		1	3	4	

## Complete the calculations.


a) Н Т 0 2 3 1







Complete the calculations.



	Th	Н	Т	0	
	9	8	4	5	
_	1	9	2	1	

b)		Th	Н	Т	0	
		7	6	7	3	
	_		7	2	1	

6 Annie is calculating 3,467 – 2,148 Here are her workings.

	Th	Н	T	0	
	3	4	6	7	
_	2	1	4	8	
	1	3	2	1	
		·		·	

Do you agree with Annie? \_\_\_\_\_

Explain your answer.




7 A car costs £8,716

A motorbike costs £2,341 less than the car.

How much does the motorbike cost?

8 Jack is thinking of two 4-digit numbers.



What is the sum of the two numbers?



